



Juntas Asépticas

Clamp, D-Rings, SMS



Joints Aseptiques

Clamp, D-Rings, SMS



Aseptic Seals

Clamp, D-Rings, SMS



Aseptische Dichtungen

Clampdichtungen, Milchrohr-Verschraubungsringe,
SMS-Dichtringe





CLAMP CLAMPDICH TUNGEN

LISTA DE MEDIDAS	DIMENSIONS
LISTE DIMENSIONNELLE	AUSFÜHRUNG MABTABELLE

CLAMP A

CLAMP B




ISO 2852			
DN	DN	d1	d3
25	1"	22,8	50,5
38	1 1/2"	35,8	50,5
51	2"	48,8	64
63,5	2 1/2"	60,5	77,5
76,1	3"	73,1	91
101,6	4"	97,8	119

DIN 32676		
DN	d1	d3
10	10,2	34
15	16,2	34
20	20,2	34
25	26,2	50,5
32	32,2	50,5
40	38,2	50,5
50	50,2	64
65	66,2	91
80	81,2	106
100	100,2	119
115	110,5	130
125	125,2	155
150	150,2	183
200	200,2	233,5
250	250	268
300	300	319

D RING MILCHROHR-VERSCHRAUBUNGSRING

D RING


MILCHROHR-VERSCHRAUBUNGSRING



DN	ØA	ØB	C
10	12	20	4.5
15	18	26	4.5
20	23	33	4.5
25	30	40	5
32	36	46	5
40	42	52	5
50	54	64	5
50H	54	64	8
65	71	81	5
65H	71	81	8
80	85	95	5
80H	85	95	8
100	104	114	6
100H	104	114	8
125	130	142	7
150	155	167	7
150H	155	167	8

D RING L

MILCHROHR-VERSCHRAUBUNGSRING L




DN	ØA	ØB	C	ØD
25	30	40	5	26.5
25H	30	40	6	26.5
32	36	46	6	32.5
40	42	52	6	38.8
50	54	64	6	50.5
65	71	81	6	66.5
80	85	95	6	81.5
100	104	114	6	100.5
125	130	142	7	125
150	155	167	7	150




SMS

SMS R



DN	ØA	ØB	C
25	25	32	5.5
32	32	40	5.5
38	38	48	5.5
51	51	61	5.5
63.5	63.5	73.5	5.5
76	76	86	5.5
89	89	101	5.5
108	108	120	5.5

SMS L



DN	ØA	ØB	C
25	22.6	31.6	6.0
38	35.5	47.5	6.0
51	48.6	60.6	6.0
63	60.6	73	6.0
76	73.1	85.5	6.0
104	99.8	115	6.0

MATERIALES Y CERTIFICACIÓN MATIÈRES ET HOMOLOGATIONS

MATERIAL & CERTIFICATION

WERKSTOFF UND ZULASSUNGEN

Material Matière Material Werkstoff	Color Couleur Color Farbe	Clamp		D-Ring	SMS
		A	B		
NBR	Blanco-Blanc White-Weiß	x	x		
	Azul-Bleu Blue-Blau			x	
	Negro-Noir Black-Schwarz		x		x
EPDM	Negro-Noir Black-Schwarz	x	x	x	x
MQV	Blanco-Blanc White-Weiß	x	x		x
	Rojo-Rouge Red-Rot	x	x		
	Transparente-Translucide Translucent-Transparent			x	x
FKM	Verde-Vert Green-Grün	x	x		
	Negro-Noir Black-Schwarz		x	x	x
PTFE	Blanco-Blanc White-Weiß	x	x	x	x

Materiales con certificado FDA.
Otras certificaciones disponibles.

Matériaux avec certificat FDA.
Autres certifications disponibles.

Materials with FDA certificate.
Other certificates available.

Werkstoffe mit FDA Zertifikat.
Weitere zertifikate erhältlich.



Lidering S.A.

Pg. Ferrocarrils Catalans, 106 - 108
08940 Cornellà de Llobregat BARCELONA
Ventas Nacionales: 902 480 440
Ventas Internacionales: +34 93 480 44 22
Fax: 93 480 44 04

Pollensa, 2, Ofic. 8
Edif. Artemisa – Tartessos
28290 Las Rozas MADRID
Tél: 902 480 440 Fax: 91 361 40 20

Lidering S.A.R.L.

Parc des Aqueducs, Lot E
Chemin du Favier RD 42
69230 Saint-Genis-Laval FRANCE
Tél: 04 72 67 02 67 Fax: 04 78 56 04 08

Lidering GmbH

Schiessstraße 55
40549 Düsseldorf DEUTSCHLAND
Tel. 0211 522 890 94 email: export@lidering.com

S.A. Lidering N.V.

BP10 - 1410 Waterloo BELGIQUE - BELGIË
Tél: 00 34 93 480 44 22 Fax: 00 34 93 480 44 04

<http://www.lidering.com>